



Running TestSessions
You have no Running TestSessions

Notifications MORE >

- 5/14 10:56:19 TestSession "TestSession" completed
- 5/14 10:56:12 TestSession "TestSession" delayed
- 5/14 10:56:12 Test "TestCase" passed
- 5/14 10:56:03 Test "TestCase" started
- 5/14 10:55:31 TestSession "TestSession" delayed

Configuration Tasks
You have no Configuration Tasks

System Configuration

TestRunners: Edit
localhost on 127.0.0.1

Scheduling: Edit
Min. Schedule Time: 0:00
Max. Schedule Time: 23:59
Min. Active Schedule Time: 0:00
Max. Active Schedule Time: 23:59

Other: Edit
Notification Refresh Timeout: 30 sec.

Logging: Edit
Logging Level: Info
Log Page Size: 200
Number of debug log lines: 50000
Maximum memory consumed by log attachments, Mb: 200
Store Recognition Logs: Yes

Selected Notifications: Edit
TestSession Start
TestSession Wait
TestSession Complete
TestSession Error

Regional Settings: Edit
Delimiter for Export: ,
Date Format: MM/DD/YYYY



Running TestSessions
You have no Running TestSessions

- Notifications** MORE
- 5/14 10:56:19 TestSession "TestSession" completed
 - 5/14 10:56:12 TestSession "TestSession" delayed
 - 5/14 10:56:12 Test "TestCase" passed
 - 5/14 10:56:03 Test "TestCase" started
 - 5/14 10:55:31 TestSession "TestSession" delayed

Notifications and Reports Options

- TestSession Start
- TestSession Wait
- TestSession Complete
- TestSession Error
- Test Started
- Test Passed
- Test Failed

These notifications are what will show up in the notification section in the red box, they will not be emailed.

OK Cancel

Configuration Tasks
You have no Configuration Tasks



Running TestSessions
You have no Running TestSessions

- Notifications** MORE >
- 5/14 11:09:45 TestSession "TestSession" completed
 - 5/14 11:09:25 TestSession "TestSession" started
 - 5/14 11:08:38 TestSession "TestSession" completed
 - 5/14 11:08:17 TestSession "TestSession" started
 - 5/14 11:06:05 TestSession "TestSession" completed

Configuration Tasks
You have no Configuration Tasks

Configuration Task "Configuration Task" content

Task Name:

Attachment:

Instructions:



You will need to setup up a configuration task.



ADMINISTRATOR@localhost
Logout

New Task Tasks To Do

Running TestSessions
You have no Running TestSessions

Name	Instructions	Attachment	
Configuration Task	This is a configuration Task	<None>	 

- Notifications** MORE >
- 5/14 11:09:45 TestSession "TestSession" completed
 - 5/14 11:09:25 TestSession "TestSession" started
 - 5/14 11:08:38 TestSession "TestSession" completed
 - 5/14 11:08:17 TestSession "TestSession" started
 - 5/14 11:06:05 TestSession "TestSession" completed

Configuration Tasks
You have no Configuration Tasks

Running TestSessions
You have no Running TestSessions

Name:
Description:
Save

Notifications MORE >

- 5/14 10:56:19 TestSession "TestSession" completed
- 5/14 10:56:12 TestSession "TestSession" delayed
- 5/14 10:56:12 Test "TestCase" passed
- 5/14 10:56:03 Test "TestCase" started
- 5/14 10:55:31 TestSession "TestSession" delayed

Available Deployed Tests:

Query: Filter by: Apply Clear

<input type="checkbox"/>	Name ^	Description
<input type="checkbox"/>	TestCase	

Available Configuration Tasks:

<input type="checkbox"/>	Name ^	Description
<input type="checkbox"/>	Configuration Task	This is a configuration Task

Available Sequences:

<input type="checkbox"/>	Name	Description
--------------------------	------	-------------

Sequence content:

Name	Description			
Configuration Task		X	↑	↓
TestCase		X	↑	↓
Configuration Task		X	↑	↓

Add the configuration tasks in this into your test sequence

Update this sequence in all sessions
Save



Running TestSessions
You have no Running TestSessions

- Notifications** MORE >
- 5/14 10:56:19 TestSession "TestSession" completed
 - 5/14 10:56:12 TestSession "TestSession" delayed
 - 5/14 10:56:12 Test "TestCase" passed
 - 5/14 10:56:03 Test "TestCase" started
 - 5/14 10:55:31 TestSession "TestSession" delayed

Configuration Tasks
You have no Configuration Tasks

TestSession "TestSession": Content

Name:

Description:

Next >

Available TestSequences:

<input type="checkbox"/>	Name	Description
<input type="checkbox"/>	TestSequence	



TestSession content:

	Name	Description			
	TestSequence		X	↑	↓

Next >



Running TestSessions
You have no Running TestSessions

- Notifications** [MORE >](#)
- 5/14 10:56:19 TestSession "TestSession" completed
 - 5/14 10:56:12 TestSession "TestSession" delayed
 - 5/14 10:56:12 Test "TestCase" passed
 - 5/14 10:56:03 Test "TestCase" started
 - 5/14 10:55:31 TestSession "TestSession" delayed

Configuration Tasks
You have no Configuration Tasks

TestSession "TestSession": Configuration [< Back](#) [Next >](#)

- TestSession
 - TestSequence
 - Configuration Task (Assigned to Administrator)
 - TestCase
 - Configuration Task (Assigned to Administrator)

TestSession "TestSession"

Description:

Flow Control:

Default TestRunner:

Roles:

#Primary

[<](#) [>](#)



Running TestSessions You have no Running TestSessions

- Notifications** MORE
- 5/14 10:56:19 TestSession "TestSession" completed
 - 5/14 10:56:12 TestSession "TestSession" delayed
 - 5/14 10:56:12 Test "TestCase" passed
 - 5/14 10:56:03 Test "TestCase" started
 - 5/14 10:55:31 TestSession "TestSession" delayed

Configuration Tasks You have no Configuration Tasks

TestSession "TestSession": Notifications and Reports

< Back Finish

- Notification Types:**
- TestSession started
 - TestSession completed
 - TestSession delayed
 - TestSession error
 - Test started
 - Test passed
 - Test failed

- Notification Recipients:**
- Administrator
 - TestManager
 - TestDeveloper
 - TestOperator
 - LostAndFound
 - fake

This section is only for notifications that will show up in the notification section in the red box.

- Report Recipients:**
- Administrator
 - TestManager
 - TestDeveloper
 - TestOperator
 - LostAndFound
 - fake

< Back Finish



Running TestSessions You have no Running TestSessions

- Notifications MORE >
- 5/14 10:56:19 TestSession "TestSession" completed
 - 5/14 10:56:12 TestSession "TestSession" delayed
 - 5/14 10:56:12 Test "TestCase" passed
 - 5/14 10:56:03 Test "TestCase" started
 - 5/14 10:55:31 TestSession "TestSession" delayed

Configuration Tasks You have no Configuration Tasks

Add new schedule for TestSession

TestRunner: localhost

Roles:

#Primary Android Definition Android-Emulator

Configuration Task	Assigned To
TestSequence -> Configuration Task	Administrator
TestSequence -> Configuration Task	Administrator
<input checked="" type="checkbox"/> Save as default	<Not Selected>
<input checked="" type="radio"/> Immediately	Administrator
<input type="radio"/> At specific time	fake
<input type="radio"/> Recurring	LostAndFound
<input type="radio"/> Upon completion of TestSession	TestDeveloper
	TestManager
	TestOperator

OK Cancel

Assign the configuration task to a user

Show existing schedule

To execute TestSession by external call use URL:
http://localhost/TestManager/RunSession.aspx?Repository=192.168.2.107&Session=1&TestRunner=1&UserName=Administrator&Password=TYPE_YOUR_PASSWORD_HERE



Running TestSessions

- TestSession

Notifications MORE >

- 5/14 11:04:57 TestSession "TestSession" started
- 5/14 10:56:19 TestSession "TestSession" completed
- 5/14 10:56:12 TestSession "TestSession" delayed
- 5/14 10:56:12 Test "TestCase" passed
- 5/14 10:56:03 Test "TestCase" started


Configuration Tasks

You have no Configuration Tasks

TestSession Monitoring

Session Name	TestRunner	Creation Time	User	Status	Roles	Stop
TestSession Summary information is not available yet...	localhost	05/14/2012 11:04:56	Administrator	In Progress Summary information is not available yet...	#Primary: Android Definition, Android-Emulator	

When you run your test, and the test comes to a configuration task, test manager will send that user an email as long as the user is setup correctly in the test administrator.



From: jeremya@bsquare.com

Sent: Mon 5/14/2012 11:05 AM

To: Jeremy Augustin

Cc:

Subject: TestManager Notification: Configuration Task "Configuration Task" completion request

The following Configuration Task was requested to be completed during execution of session "TestSession" by 5/14/2012 11:04:56 AM.

[Configuration Task](#)

Click the above link to login to the TestManager site and complete the task.

The latest time for completion is set to 5/14/2012 11:25:16 AM. After this time session will be dropped with the failure status.

Configuration Task is assigned to Administrator.

Task instructions:

This is a configuration Task

Do not reply to this message, please.

—
TestManager Facility

On Repository JEREMYAGX620.

This is what the email looks like when the assigned user receives it.



Running TestSessions

- TestSession is delayed

Notifications MORE >

- 5/14 14:23:24 TestSession "TestSession" delayed
- 5/14 14:22:57 TestSession "TestSession" started
- 5/14 11:09:45 TestSession "TestSession" completed
- 5/14 11:09:25 TestSession "TestSession" started
- 5/14 11:08:38 TestSession "TestSession" completed

Configuration Tasks

- Configuration Task

Configuration Task Configuration Task (on localhost)

<None>

Instructions:
This is a configuration Task

Here is what it looks like when you click on the link in the email.
Note, manual step must be performed by the user in order for the test session to fully complete.

Cancel Passed Failed



This is the setup needed to be performed in Test Administrator



Select TestManager Notification Engine

CountDown Administrator
Notification Engine Configurations

Please provide necessary information to setup Notification Engine properly. You may leave these fields blank if you wish e-mail notification be disabled.

SMTP Server: Port:

Sender E-mail:


< Back Save Close

Setup your SMTP settings

We do not save a place for the password, so you will need to work with your IT department to either setup a user that has no password, or they will need to setup an exception for the user or computer the email is being sent from.




Now you will setup the users who will receive emails.




You will place the user's email address in the email property of the user.

Note: In this example I am using the same email address for the sender and recipient.



Click on the TestManager under groups, then the users collection





Make sure the user is part of the TestManager group.